

Certificate no: CMNZ70190

Version: 0

Original issue date: 24 March 2026

Version date: 24 March 2026



BUREAU  
VERITAS

# Product Certificate

## IBS FIBRE® CTU, IBS FIBRE® Groove and IBS FIBRE® WAB

### 1. Certificate Holder Details



**IBS Building Products**  
Independent Building Supplies Ltd  
3 Zelanian Drive, East Tamaki, 2013,  
Auckland, New Zealand  
info@ibs.co.nz  
Ph: 0800 367 759  
www.ibs.co.nz

### 2. Product Certification Body

**Bureau Veritas Australia Pty Ltd**  
11/500 Collins Street  
Melbourne VIC 3000 Australia  
product.certification@bureauveritas.com  
Ph: 1800 855 190  
www.bureauveritas.com.au

**Complaints:** The complaints process for this certificate can be found here:  
[www.bureauveritas.com.au/your-feedback](http://www.bureauveritas.com.au/your-feedback)

*Sam Guindi*

Sam Guindi – Bureau Veritas Product Certification Manager

### 3. Description of Building Method or Product

Name of the product or method in Aotearoa New Zealand, including any brand names used. Description of what it is and the components that make up any system and its physical attributes including the materials and make-up of the product, where applicable. Matters that should be taken into account in the use or application of the building method or product can be found in item 6. Conditions and Limitations of Use. Continuation of description can be found in item 10 – Supporting Information about Description. The building method's or building product's catalogue or model identification number or numbers or other unique identifiers that might be used to identify the building product or building method.

IBS FIBRE® CTU is a 6mm thick autoclaved cellulose fibre-reinforced cement sheet available in the following sizes: 900mm (w) or 1200mm (w) and 1800mm (l).

IBS FIBRE® WAB is a 9mm thick autoclaved cellulose fibre-reinforced cement sheet available in the following sizes: 1200 mm (w) x 2400 mm or 2700 mm (l).

IBS FIBRE® Groove is an autoclaved cellulose fibre-reinforced cement sheet 7.5mm thick with a 2.5mm deep, 5 mm wide V-shaped groove at 100 mm centres along the sheet length. Sheets are 1200 mm (w) x 2400mm or 2700mm (l).

### 4. Intended use of Building Method or Product

Intended use of the building method or product as described in the product manual and other instructional materials. A statement of the function or purpose of the building method or product. Continuation of intended use can be found in item 11 – Supporting Information about Intended use.

IBS FIBRE® CTU is a base for laying ceramic tiles over a timber floor or reconstituted wood-based substrates and as an internal wall lining.

IBS FIBRE® WAB is an internal wall and ceiling lining in wet and dry areas and may also be used as a substrate for ceramic tiles. For floors, it is designed for installation over timber or reconstituted wood-based substrates; wall applications do not require a timber substrate.

IBS FIBRE® Groove is an internal wall and ceiling lining in dry areas and areas subject to occasional splashes.

### 5. New Zealand Building Code Provisions

The performance clauses of the New Zealand Building Code that are relevant to the intended use and with which the building method or product complies or contributes to (where used as part of a system). How the building method or product complies or contributes can be found in item 8. Basis for Certification. Any qualifications on the extent of that compliance can be found in item 6. Conditions and limitations of use.

**B1 Structure:** Performance Clauses B1.3.1, B1.3.2, B1.3.3(b), B1.3.4 (B1.3.3(b) applies to IBS FIBRE® CTU and IBS FIBRE® WAB used as a tile floor underlay; B1.3.3(j) applies to IBS FIBRE® WAB and IBS FIBRE® Groove used as wall lining)

**B2 Durability:** Performance Clauses B2.3.1(b) when used as a substrate for tile, B2.3.1(c)

**C1 Objectives of Clauses C2 to C6 (Protection from Fire):** Performance Clauses C4.3(a), C3.6 (Contributes to), C3.7 (Contributes to)

**E3 Internal Moisture:** Performance Clauses E3.3, E3.3.4, E3.3.5, E3.3.6 when used as an internal lining

**F2 Hazardous Building Materials:** Performance Clauses F2.3.1

**G3 Food Preparation and Prevention of Contamination:** Performance Clause G3.3.2(a) (Contributes to)



This certificate is issued by an independent certification body accredited by JAS-ANZ, the product certification body appointed by the Chief Executive of the Ministry of Business, Innovation and Employment under the Building Act 2004. This certificate may only be reproduced in its entirety. It is advised to check that this certificate is currently valid and not withdrawn or suspended by referring to the Register of Product Certificates on the Building Performance website <https://tepaebuilding.govt.nz/public-registers/>.

Certificate no: CMNZ70190

Version: 0

Original issue date: 24 March 2026

Version date: 24 March 2026

## 6. Conditions and Limitations of Use

The building method or product's use is to be in accordance with the installation instructions and requirements against which the building method or product was assessed. Conditions or limitations of conformity for the performance requirements the building method or product is compliant with, including any requirements for people with the qualifications and skills to install or use the building method or product, any known or demonstrated situations where the building method or product should not be used. A statement as to whether there are any matters that should be taken into account in the use or application of the building product or building method and, if so, what those matters are.

1. IBS FIBRE® CTU, IBS FIBRE® Groove and IBS FIBRE® WAB, have been certified for the uses set out above, subject with the design and installation guides (refer to Condition 2. below) and subject to the following conditions:
  - a. In applications where a Material Group Number is required (clause C3.4(a)), IBS FIBRE® CTU, IBS FIBRE® Groove and IBS FIBRE® WAB shall be at least 9mm thick and;
  - b. In wet areas IBS FIBRE® WAB shall be at least 9mm thick and coated with water resistant paint or tiles and;
  - c. In areas adjacent to food preparation IBS FIBRE® WAB shall be at least 9mm thick and coated with water resistant paint or tiles. and
  - d. IBS FIBRE® Groove is excluded from use in areas adjacent to food preparation
2. IBS FIBRE® CTU, IBS FIBRE® Groove and IBS FIBRE® WAB shall be installed in accordance with the installation instructions for the uses in Condition 1 in the following documents:
  - IBS FIBRE® CTU - Design and Installation Guide - December 2025.
  - IBS FIBRE® Groove - Design and Installation Guide - December 2025.
  - IBS FIBRE® WAB - Design and Installation Guide - December 2025.

## 7. Health and Safety Information

Health, safety, and well-being declarations associated with installation, maintenance, and use of the building method or product, and their specific editions and dates necessary to ensure the performance requirements of clauses F1 to F9 of the Building Code can be met.

The compliance with any manufacturer's installation instructions, maintenance, OH&S statements, MSDS's and other Health and Safety declarations will provide the necessary Health and Safety Information pertaining to the product.

## 8. Basis for Certification

How the performance requirements in the Building Code were met for each of the provisions. Where used as part of a system, the specific contribution to compliance.

B1 Structure - By Testing to AS/NZS 2908.2

B2 Durability - 15 Years as a lining testing to AS/NZS 2908.2

C1 Fire Testing to AS/NZS 3837:1998

E3 internal Moisture - By comparison with E3/AS1

F2 Hazardous Building Materials - By testing to AS/NZS 2908.and comparison with F2/AS1

G3 Food Preparation and Prevention of Contamination - By comparison with Acceptable Solutions and Verification Methods



This certificate is issued by an independent certification body accredited by JAS-ANZ, the product certification body appointed by the Chief Executive of the Ministry of Business, Innovation and Employment under the Building Act 2004. This certificate may only be reproduced in its entirety. It is advised to check that this certificate is currently valid and not withdrawn or suspended by referring to the Register of Product Certificates on the Building Performance website <https://tepaebuilding.govt.nz/public-registers/>.

Certificate no: CMNZ70190

Version: 0

Original issue date: 24 March 2026

Version date: 24 March 2026

## 9. Supporting Documentation for Certification

Reference to any acceptable solutions, verification methods, New Zealand Standards, or other compliance pathways referenced against each individual performance requirement the building method or product is compliant with, and their specific version and date. Reference to documents describing tests and evaluations and any other documents relied on for certification or used to prove compliance, including their full title, specific version and date.

1. B1 Structure Acceptable Solution B1/AS1 Structural provisions for buildings, Second Edition, 28 July 2025.
2. B2 Durability Acceptable Solution B2/AS1 Durability provisions for building elements, Third Edition, 28 July 2025.
3. Acceptable Solutions for New Zealand Code Clause C Protection from fire C/AS1, Second edition, amendment 1, 28 July 2025 and C/AS2, second edition 28 July 2025.
4. Acceptable Solution for New Zealand Building Code Clause E3 Internal Moisture Second edition, amendment 7, 5 November 2020.
5. Acceptable Solutions and Verification Methods for New Zealand Building Code Clause F2 Hazardous building materials First edition, Amendment 3, 1 January 2017.
6. Acceptable Solutions and Verification Methods for New Zealand Code Clause G3 Food preparation and prevention of contamination First edition, amendment 2, 1 January 2017.
7. Building Products Specifications First Edition 28 July 2025.
8. AS/NZS 2908.2:2000 Cellulose-cement products - Flat sheets.
9. AS/NZS 3837:1998 Test for Heat and Smoke Release Rates for Materials and Products Using an Oxygen Consumption Calorimeter & AS 5637.1:2015 Determination of fire hazard properties Part 1 - Achieved Group Number 1.
10. AS 4964:2004 Method for the qualitative identification of asbestos in bulk samples.
11. IBS FIBRE® CTU - Design & Installation Guide - December 2025.
12. IBS FIBRE® Groove - Design & Installation Guide - December 2025.
13. IBS FIBRE® WAB - Design & Installation Guide - December 2025.
14. Material Safety Data Sheet- IBS Fibre® Material Safety Data Sheet October 2025.
15. SGS Test Report No. XMIN2106006288CM - Fireproof Fibre Cement Board - standard test to AS/NZS 2908.2, 2000 Cellulose-cement products - Flat sheets - 27 August 2021.
16. SGS Test Report No. SDFS2412007986FF – Fibre Cement Board - standard test to AS/NZS 3837:1998 Test for Heat and Smoke Release Rates for Materials and Products Using an Oxygen Consumption Calorimeter and AS 5637.1:2015 Determination of fire hazard properties Part 1 - 9 January 2025.
17. SGS Test Report No. CANMLC2204345701 - No Asbestos Test – standard test to AS 4964:2004 Method for the qualitative identification of asbestos in bulk samples - 22 March 2022.



This certificate is issued by an independent certification body accredited by JAS-ANZ, the product certification body appointed by the Chief Executive of the Ministry of Business, Innovation and Employment under the Building Act 2004. This certificate may only be reproduced in its entirety. It is advised to check that this certificate is currently valid and not withdrawn or suspended by referring to the Register of Product Certificates on the Building Performance website <https://tepaebuilding.govt.nz/public-registers/>.

Certificate no: CMNZ70190

Version: 0

Original issue date: 24 March 2026

Version date: 24 March 2026

## Product Certificate

IBS FIBRE® CTU, IBS FIBRE® Groove and IBS FIBRE® WAB



### 10. Supporting Information About Description (Optional)

Any supporting information for section 3.

N/A

### 11. Supporting Information About Intended Use (Optional)

Any supporting information for section 4.

N/A

### 12. Supporting Information About Conditions and Limitations of Use (Optional)

Any supporting information for section 6.

N/A

**All CodeMark certificates that are current must be registered with MBIE. MBIE maintains a register of valid product certificates. [Please find the register here.](#)**

**If the certificate is not listed on this register or it appears as (SUSPENDED), it is not a valid CodeMark certificate and does not have to be accepted by a building consent authority as establishing compliance with the New Zealand Building Code.**



This certificate is issued by an independent certification body accredited by JAS-ANZ, the product certification body appointed by the Chief Executive of the Ministry of Business, Innovation and Employment under the Building Act 2004. This certificate may only be reproduced in its entirety. It is advised to check that this certificate is currently valid and not withdrawn or suspended by referring to the Register of Product Certificates on the Building Performance website <https://tepae.building.govt.nz/public-registers/>.