

Certificate no: CMNZ70192

Version: 0

Original issue date: 10 February 2026

Version date: 10 February 2026



BUREAU  
VERITAS

# Product Certificate

## IBS Showerline® Wet Wall Lining

### 1. Certificate Holder Details



#### IBS Building Products

Independent Building Supplies Ltd  
3 Zelanian Drive, East Tamaki, 2013,  
Auckland, New Zealand  
info@ibs.co.nz  
Ph: 0800 367 759  
www.ibs.co.nz

### 2. Product Certification Body

#### Bureau Veritas Australia Pty Ltd

11/500 Collins Street  
Melbourne VIC 3000 Australia  
product.certification@bureauveritas.com  
Ph: 1800 855 190  
www.bureauveritas.com.au

**Complaints:** The complaints process for this certificate can be found here:  
[www.bureauveritas.com.au/your-feedback](http://www.bureauveritas.com.au/your-feedback)

*Sam Guindi*

Sam Guindi – Bureau Veritas Product Certification Manager

### 3. Description of Building Method or Product

Name of the product or method in Aotearoa New Zealand, including any brand names used. Description of what it is and the components that make up any system and its physical attributes including the materials and make-up of the product, where applicable. Matters that should be taken into account in the use or application of the building method or product can be found in item 6. Conditions and Limitations of Use. Continuation of description can be found in item 10 – Supporting Information about Description. The building method's or building product's catalogue or model identification number or numbers or other unique identifiers that might be used to identify the building product or building method.

IBS Showerline® Wet Wall Lining is an aluminium composite sheet, comprising a polyethylene (PE) core, sandwiched between layers of 0.4mm aluminium and finished with polyethylene (PE) coating.

Sheets are available in the following sizes:

- 2400 x 900 x 4.75 mm
- 2400 x 1200 x 4.75 mm

### 4. Intended use of Building Method or Product

Intended use of the building method or product as described in the product manual and other instructional materials. A statement of the function or purpose of the building method or product. Continuation of intended use can be found in item 11 – Supporting Information about Intended use.

IBS Showerline® Wet Wall Lining is designed for use in bathrooms, kitchens, laundries, food preparation areas and applications where water resistance and hygienic surfaces are required.

### 5. New Zealand Building Code Provisions

The performance clauses of the New Zealand Building Code that are relevant to the intended use and with which the building method or product complies or contributes to (where used as part of a system). How the building method or product complies or contributes can be found in item 8. Basis for Certification. Any qualifications on the extent of that compliance can be found in item 6. Conditions and limitations of use.

**B1 Structure:** Performance Clauses B1.3.1, B1.3.2, B1.3.3 (j, q), B1.3.4

**B2 Durability:** Performance Clauses B2.3.2 (b)

**E3 Internal Moisture:** Performance Clauses E3.3.4, E3.3.5, E3.3.6

**F2 Hazardous Building Materials:** Performance Clauses F2.3.1

**G3 Food Preparation and Prevention of Contamination:** Performance Clause G3.3.2 (a)



This certificate is issued by an independent certification body accredited by JAS-ANZ, the product certification body appointed by the Chief Executive of the Ministry of Business, Innovation and Employment under the Building Act 2004. This certificate may only be reproduced in its entirety. It is advised to check that this certificate is currently valid and not withdrawn or suspended by referring to the Register of Product Certificates on the Building Performance website <https://tepaebuilding.govt.nz/public-registers/>.

Certificate no: CMNZ70192

Version: 0

Original issue date: 10 February 2026

Version date: 10 February 2026

### 6. Conditions and Limitations of Use

The building method or product's use is to be in accordance with the installation instructions and requirements against which the building method or product was assessed. Conditions or limitations of conformity for the performance requirements the building method or product is compliant with, including any requirements for people with the qualifications and skills to install or use the building method or product, any known or demonstrated situations where the building method or product should not be used. A statement as to whether there are any matters that should be taken into account in the use or application of the building product or building method and, if so, what those matters are.

1. IBS Showerline® Wet Wall Lining is certified for use:
  - a. In buildings and areas of buildings with timber or light steel framing that complies with the NZ Building Code or where the designer and/or installer have established that the existing building is structurally suitable for the intended building work.
2. IBS Showerline® Wet Wall Lining shall:
  - a. be designed and installed in accordance IBS Showerline® Wet Wall Lining - Design and Installation Guide, November 2025.
  - b. not be installed unless the moisture content of timber framing is less than 18%.
  - c. when used as a wall lining have stud centres not exceeding 600mm.
  - d. when used as a ceiling lining have strapping centres not exceeding 450mm.
  - e. be installed at least 300mm away from any open gas flame and 100mm from any electrical heat source.
  - f. be earthed when a power point, switch and light fitting is installed in the panel or wires run behind the sheet.

### 7. Health and Safety Information

Health, safety, and well-being declarations associated with installation, maintenance, and use of the building method or product, and their specific editions and dates necessary to ensure the performance requirements of clauses F1 to F9 of the Building Code can be met.

The compliance with any manufacturer's installation instructions, maintenance, OH&S statements, MSDS's and other Health and Safety declarations will provide the necessary Health and Safety Information pertaining to the product.

### 8. Basis for Certification

How the performance requirements in the Building Code were met for each of the provisions. Where used as part of a system, the specific contribution to compliance.

- B1 Structure - By analysis and comparison with NZS3604 and NASH Standard Part 2
- B2 Durability - By analysis and comparison with Acceptable Solution B2/AS1 and Verification Method B2/VM1
- E3 Internal moisture - By analysis and comparison with Acceptable Solution E3/AS1
- F2 Hazardous building materials - By comparison with the performance requirements of Building Code clause F2.3.1
- G3 Food Preparation and Prevention of Contamination - By comparison with Acceptable Solutions and Verification Methods



This certificate is issued by an independent certification body accredited by JAS-ANZ, the product certification body appointed by the Chief Executive of the Ministry of Business, Innovation and Employment under the Building Act 2004. This certificate may only be reproduced in its entirety. It is advised to check that this certificate is currently valid and not withdrawn or suspended by referring to the Register of Product Certificates on the Building Performance website <https://tepae.building.govt.nz/public-registers/>.

Certificate no: CMNZ70192

Version: 0

Original issue date: 10 February 2026

Version date: 10 February 2026

### 9. Supporting Documentation for Certification

Reference to any acceptable solutions, verification methods, New Zealand Standards, or other compliance pathways referenced against each individual performance requirement the building method or product is compliant with, and their specific version and date. Reference to documents describing tests and evaluations and any other documents relied on for certification or used to prove compliance, including their full title, specific version and date.

1. B1 Structure B1/AS1 Structural provisions for buildings, Second edition, 28 July 2025.
2. B2 Durability Acceptable Solution B2/AS1 Durability provisions for building elements, Third edition, 28 July 2025.
3. B2 Durability Verification Method B2/VM1 Durability of buildings elements using in-service history, laboratory testing, and comparisons to similar materials, Third edition, 28 July 2025.
4. E3 Internal Moisture - Acceptable Solution E3/AS1, Second Edition Amendment 7, 5 November 2020.
5. G3 Food Preparation and Prevention of Contamination - Acceptable Solutions and Verification Methods, First Edition, Amendment 2, 1 January 2017.
6. NZS3604:2011 Timber Framed Buildings.
7. NASH Standard Part 2: May 2019 Light Steel Framed Buildings.
8. CTC (National Research Centre of Testing Techniques for Building Materials), TEST REPORT CY2017C01B00663-1, April 28, 2017.
9. SGS-CSTC, TEST REPORT No.: SUZMR250700452601, July 31, 2025.
10. SGS-CSTC, TEST REPORT No.: SHMR251102686601, Dec 04, 2025
11. IBS Showerline® Wet Wall Lining - Design and Installation Guide, November 2025.
12. IBS Showerline® - Material Safety Data, November 2025.

### 10. Supporting Information About Description (Optional)

Any supporting information for section 3.

N/A

### 11. Supporting Information About Intended Use (Optional)

Any supporting information for section 4.

N/A

### 12. Supporting Information About Conditions and Limitations of Use (Optional)

Any supporting information for section 6.

1. Only recommended adhesives and sealants (as set out in the Design and Installation Guide) are permitted.
2. Mechanical fixing with exposed screws is only permitted in walls of dry areas and ceilings in both wet and dry areas.
3. Direct fixing to concrete or concrete masonry is outside the scope of this Certificate.



This certificate is issued by an independent certification body accredited by JAS-ANZ, the product certification body appointed by the Chief Executive of the Ministry of Business, Innovation and Employment under the Building Act 2004. This certificate may only be reproduced in its entirety. It is advised to check that this certificate is currently valid and not withdrawn or suspended by referring to the Register of Product Certificates on the Building Performance website <https://tepae.building.govt.nz/public-registers/>.

## Product Certificate

IBS Showerline® Wet Wall Lining



Certificate no: CMNZ70192

Version: 0

Original issue date: 10 February 2026

Version date: 10 February 2026

All CodeMark certificates that are current must be registered with MBIE. MBIE maintains a register of valid product certificates. [Please find the register here.](#)

If the certificate is not listed on this register or it appears as (SUSPENDED), it is not a valid CodeMark certificate and does not have to be accepted by a building consent authority as establishing compliance with the New Zealand Building Code.



This certificate is issued by an independent certification body accredited by JAS-ANZ, the product certification body appointed by the Chief Executive of the Ministry of Business, Innovation and Employment under the Building Act 2004. This certificate may only be reproduced in its entirety. It is advised to check that this certificate is currently valid and not withdrawn or suspended by referring to the Register of Product Certificates on the Building Performance website <https://tepae.building.govt.nz/public-registers/>.