

APRIL 2024

IBS RigidRAP® - XT

Design & Installation Guide

CodeMark

CMNZ70091

Contents

1. Introduction

1.1	What is IBS RigidRAP® - XT?	4
1.2	What is a Rigid Air Barrier?	4
1.3	Benefits of IBS RigidRAP® - XT	4
1.4	IBS RigidRAP® - XT Intended Use	5
1.5	Supporting Information	5

2. Best Practice

2.1	Designer/Installer Skill Level	6
2.2	Health and Safety	6
2.3	Sawing, Drilling, Shaping	6
2.4	Handling and Storage	7
2.5	Finishing	7
2.6	Quality Assurance	7

3. External Wall Bracing

3.1	Scope of Use	8
3.2	Limitations	8
3.3	IBS RigidRAP® - XT Wall Bracing System	9
3.4	IBS RigidRAP® - XT Bracing on Timber and Concrete Flooring	10
3.5	Vertical Joints	10
3.6	Horizontal Joints	10
3.7	Bracing Fastening	11
3.8	IBS RigidRAP® - XT Bracing Capacity Steel Framing (Table 1)	12
3.9	IBS RigidRAP® - XT Bracing Capacity Timber Framing (Table 2)	20
3.10	Top and Bottom Plate Fixing Details	27
3.11	IBS RigidRAP® - XT Fixings	28
3.12	Steel Framing Hold Down Details	29
3.13	Timber Framing Hold Down Details	32

4. Joint / Window Sealing & Penetrations

4.1	Recommended Tape Options	34
4.2	Installing Service Penetration	35
4.3	Installing Window Opening	35

5. External Wall Wrap - Rigid Air Barrier

5.1	Scope of Use	36
5.2	Thermal Break Information	36
5.3	Non- Structural Rigid Air Barrier	36
5.4	Steel Framing Requirements	37

6. Further Information

6.1	What is OSB3?	38
6.2	What is wall underlay?	38
6.3	IBS RigidRAP® -XT CodeMark explained	38
6.4	Restricted Building Work	38
6.5	10mm Rigid Foam	39

7. Additional Resources

7.1	Compliance and Information	40
7.2	Available Details	40

8. Limitations 40**9. Frequently Asked Questions 41****10. Installation Checklist 42**

NZBN 9429000097253

IBS RigidRAP® - XT Product Details			
L x W x Thickness (mm)	Weight (kg)	IBS Product Code	GTIN
2440 x 1196 x 18	17	RRAPXT182412	09421028769891
2745 x 1196 x 18	19	RRAPXT182712	09421028769907
3050 x 1196 x 18	22	RRAPXT183012	09421028769914

Contact us for more information or to talk to our team.
www.ibs.co.nz | 0800 367 759 | info@ibs.co.nz

1. Introduction

This document is intended for designers and installers to ensure that IBS RigidRAP®-XT (Rigid Air Barrier) is specified and installed correctly. IBS RigidRAP-XT meets the New Zealand Building Code (NZBC) requirements for rigid underlays and is suitable for wind zones up to and including extra high as defined in NASH standard Part Two: 'Light Steel Framed Buildings'.

1.1 What is IBS RigidRAP® - XT?

IBS RigidRAP® - XT is an 8mm OSB3 (Oriented Strand Board) which has been manufactured specifically for New Zealand, for use as a bracing element and/or rigid air barrier. IBS RigidRAP® - XT is a triple layer rigid air barrier system available in New Zealand and comes laminated with an approved building paper to the board.

IBS RigidRAP® - XT is not only a temporary weather cladding, but it also provides bracing. IBS RigidRAP® - XT has a 10mm lightweight rigid foam fixed to the rear of the board. This gives IBS RigidRAP® - XT a R-Value of 0.41.

Your house gets triple protection from the weather during your building process and replaces traditional building wrap. When compared to similar products it is more cost effective, easy to install, lightweight, makes your house warmer, stronger and quieter.

As an OSB3 panel manufactured in accordance with EN13986:2004, it is suitable for use in humid conditions where the panel in-service moisture content does not exceed 18%.

Compliance with the NZ Building Code (NZBC) is established through Product Certification (CodeMark).

Compliance with NASH standard Part Two: 'Light Steel Framed Buildings' (or NZS 3404:2009 - Steel Structures) IBS RigidRAP® - XT meets all the requirements of Table 23 of E2/AS1 from the compliance document for the NZ Building Code (NZBC).

1.2 What is a Rigid Air Barrier?

A rigid air barrier is an underlay which acts as a barrier against air pressure and water infiltration from the outside to the inside of the building. They are easy to install, durable and is a solid substrate for the installation of flashing tape to window and door openings and exterior penetrations.

1.3 Benefits of IBS RigidRAP® - XT

As designers, builders and homeowners move towards more sustainable and durable materials and systems, the benefits of IBS RigidRAP® - XT are becoming more relevant.

Key Attributes and Benefits

- Reduces building time
- Lightweight material, simple and easy to install
- Provides rapid moisture protection of the building
- Allows for interior construction to continue
- Provides a greater level of site security
- Reduces structural timber movement
- Provides a rigid structure
- Provides weather tightness for the building.
- Thermal Break (R-Value 0.41)

1.4 IBS RigidRAP® - XT Intended Use

Intended use for IBS RigidRAP® - XT are:

1. External wall bracing element when used in conjunction with a specific fixing system
2. Thermal break for steel frames

Read the following sections for more information on each intended use.

1.5 Supporting Information

This document must be read in conjunction with the:

- IBS Product Specification for IBS RigidRAP® - XT
- IBS Maintenance and Warranty for IBS RigidRAP® - XT

CAD details and all other information is available at www.ibs.co.nz.



2. Best Practice

2.1 Designer/Installer Skill Level

Where IBS RigidRAP® - XT is specified and/or installed, the designer/installer shall have the appropriate skills and knowledge of the product and access to all IBS RigidRAP® - XT technical information.

Visit www.ibs.co.nz for more information.

2.2 Health and Safety

When installing IBS RigidRAP® - XT take all steps to ensure your safety and the safety of others;

- Ensure there is adequate ventilation or mechanical dust extraction when cutting or drilling IBS RigidRAP® - XT
- Ensure IBS RigidRAP® - XT is well supported when cutting or drilling the panel
- Appropriate close fit clothing shall be worn at all times
- Wear eye, ear and footwear protection when working with IBS RigidRAP® - XT.

Site considerations:

- Selection of the right equipment for working from a height
- Safe working with ladders and stepladders
- Maintain a clear unobstructed work area.

For further information refer to:

- The Absolutely Essential Health and Safety Toolkit
- WorkSafe New Zealand Quick Guide.

2.3 Sawing, Drilling, Shaping

IBS RigidRAP® - XT panels may be sawn and shaped in the same way as solid wood, although carbide tipped cutters are recommended.

If panels are to be installed in a visible location, ensure clean-cut edges with sharp tools, using a backing block to minimize break out. The feed rate shall be slower than for solid wood.

2.4 Handling and Storage

Correct storage and handling in transport is essential for the protection of IBS RigidRAP® - XT. The following simple principles shall be taken into account:

- Strapping and shrink wrap shall be removed immediately upon arrival at the installer's storage area or on site.
- IBS RigidRAP® - XT shall be laid flat on timber bearers. The spacings between the timber shall be no more than 800 mm.
- If several pallets are stacked on top of each other ensure the storage bearers are in true alignment.
- When stored outside, ensure there is sufficient clearance between the ground and IBS RigidRAP® - XT to prevent moisture transfer and allow air circulation. Cover with a waterproof tarpaulin.
- IBS RigidRAP® - XT must not be exposed to the weather for more than 90 days.
- When manually handling IBS RigidRAP® - XT ensure the panels are lifted in the central third.
- IBS RigidRAP® - XT shall be allowed to acclimatise to the site conditions for 48 hours prior to installation.

IBS RigidRAP® - XT shall not be exposed to the weather or ultraviolet light for more than 90 days during construction.

2.5 Finishing

A 20 mm ventilated cavity and the cladding/joinery system must be installed in which that it complies with the NZBC.

Installation of the cavity, cladding, joinery, etc must be in accordance with the relevant supplier and in accordance with the building consent, where applicable.

2.6 Quality Assurance

IBS recommends that installers record the installation of IBS RigidRAP® - XT. This may include:

- Packing slips to show evidence of delivery
- Written notes, and
- Meaningful photos.

3. External Wall Bracing

3.1 Scope of Use

IBS RigidRAP®-XT may be used as a bracing element within the following scope:

In wind zones:

- Up to and including extra high as defined in NASH standard Part Two 2019 “Light Steel Framed Building”
- Up to 2.5 kPa ULS where the building is specifically engineered.

Building scope:

- New buildings.
- In conjunction with concrete and timber subfloor applications that comply with the NZBC.
- With all cladding types that comply with NZBC.
- In conjunction with a drained and ventilated nominal 20mm cavity system.
- With aluminium joinery complying with the NZBC. IBS RigidRAP® - XT may be used as a bracing element in existing buildings, however in these cases IBS makes no claim as to the bracing value that will be achieved.
- Existing concrete and timber sub-floor structures where the designer and/or installer have assured themselves that the existing building is suitable for the intended building work.

3.2 Limitations

- Allow a minimum of 4 mm between panels both vertically and horizontally to accommodate dimension movement.
- Maximum spacings of wall studs must not exceed 600 mm centres.
- A proprietary ‘Z’ flashing must be installed at mid floor level where IBS RigidRAP® - XT is installed on multi levels.
- For wall heights greater than 3050 mm horizontal wall joints are permitted, provided the panel joint is over solid blocking of the same gauge as the studs.
- Other than mid floor level, all joints (vertical and horizontal) must be sealed with an IBS approved self-adhesive flashing tape as specified in section 4. IBS recommends 150 mm flashing tape or a proprietary Z flashing for horizontal joints.
- Steel fixings and fastenings must be in accordance with table 4.1, NZS 3604: 2011.
- Do not install IBS RigidRAP® - XT if the building paper has delaminated from the OSB sheet.

When specifying IBS RigidRAP® - XT as a bracing element, the designer must take into account site specific conditions and the building with respect to, but not limited to, the following:

- Environmental (exposure) zone
- Wind zone
- Wall bracing table for wind and EQ demand
- Structural design loads
- Structural framing requirements
- Preparation of substrate
- External envelope
- Other materials likely to affect the performance of IBS RigidRAP® - XT.

3.3 IBS RigidRAP® - XT Wall Bracing System

Table 1 provides the bracing value for IBS RigidRAP® - XT with different systems on Steel frames. (Section 3.8)

Table 2 provides the bracing value for IBS RigidRAP® - XT with different systems on Timber frames. (Section 3.9)

NOTE:

- For all bracing systems, no product substitution is allowed. Installation must be in accordance with these instructions. If these requirements are not met, IBS provides no assurance that the bracing capacity (claimed in this design and installation guide) will be achieved.
- The allowable racking resistances for the IBS RigidRAP® - XT systems are applicable to frames lined with IBS RigidRAP® - XT on one side only.
- Panels must always be installed vertically if used as a bracing sheet. Sheets can be installed horizontally if not used as a bracing element.
- Stud sizes and centres will vary depending on height load and loads ref: NZS 3604:2011.

All other information is available at www.ibs.co.nz.

Wall framing must comply with NASH Standard Part Two: 2019 'Light Steel Framed Buildings'.

3.4 Bracing on Timber and Concrete floors

It should be noted that in NZS3604:2011, the bracing resistance of elements on concrete flooring is 150 BUs/m and to 120 BUs/m on timber floors

3.5 Vertical joints

- Serviceability of the joints may be affected if - at the time the timber framing is installed - its moisture content is greater than 18%.
- For wall heights greater than 3050 mm, horizontal wall joints are permitted, provided the panel joint is over solid blocking of the same gauge as the studs.
- All joints, must be sealed with an IBS approved self- adhesive “flashing tape” as specified in section 3.6. IBS recommend 150 mm flashing tape or a proprietary Z flashing for horizontal joints.
- Steel fixings and fastenings must be in accordance with table 4.1, NZS 3604: 2011.
- Do not install IBS RigidRAP® - XT if the building paper has delaminated from the OSB sheet.
- For bracing: _ sheets must be installed vertically.
 _ sheets can be upside down.

3.6 Horizontal joints

- Serviceability of the joints may be affected if - at the time the timber framing is installed - its moisture content is greater than 18%.
- For wall heights greater than 3050 mm, horizontal wall joints are permitted, provided the panel joint is over solid blocking of the same gauge as the studs.
- All joints, must be sealed with an IBS approved self- adhesive “flashing tape” as specified in section 3.6. IBS recommend 150 mm flashing tape or a proprietary Z flashing for horizontal joints.
- Steel fixings and fastenings must be in accordance with table 4.1, NZS 3604: 2011.
- Do not install IBS RigidRAP® if the building paper has delaminated from the OSB sheet.
- For bracing: _ sheets must be installed vertically.
 _ sheets can be upside down.

3.7 Bracing fastening

- Nails or screws are placed at 150mm centres around the edges and 300mm through the middle stud.
- For extra high wind zones, sheets should be nailed off at 150mm centres.
- IBS RigidRAP® - XT must be fixed top plate to bottom plate, we recommend 75mm spaced fixings on top and bottom plate.
- Panels must always be installed vertically if used as a bracing element.
- A part sheet can be used but must be nogged and nailed.
- Minimum sheet size is 300 mm.

3.8 IBS RigidRAP® - XT Bracing Capacity - Steel Frames

The following table provides the bracing value for the different systems				
Table 1	Concrete Slab		Timber Floor	
	Wind	EQ	Wind	EQ
System 1: XTS1 IBS RigidRAP® - XT 600 mm x 2400 mm wall with FrameCAD® HDFA1 (or similar) IBS RigidRAP - XT® Fixing: 10g x 50mm Galv Csk Self Drilling Screw	63 BU/m	74 BU/m	63 BU/m	74 BU/m
System 2: XTS2 IBS RigidRAP® - XT 1200 mm x 2400 mm wall with FrameCAD® HDFA1 (or similar) IBS RigidRAP - XT® Fixing: 10g x 50mm Galv Csk Self Drilling Screw	107 BU/m	115 BU/m	107 BU/m	115 BU/m
System 3: XTS3 IBS RigidRAP® - XT 600 mm x 2400 mm wall with FrameCAD® HDFA1 (or similar) IBS RigidRAP - XT® Fixing: 38mm Versapin Gripshank Coil Steel Nail	38 BU/m	36 BU/m	38 BU/m	38 BU/m
System 4: XTS4 IBS RigidRAP® - XT 1200 mm x 2400 mm wall with FrameCAD® HDFA1 (or similar) IBS RigidRAP - XT® Fixing: 38mm Versapin Gripshank Coil Steel Nail	53 BU/m	57 BU/m	53 BU/m	57 BU/m
System 5: XTSG5 IBS RigidRAP® - XT 400 mm x 2400 mm wall with M12 hold down bolts GIB® standard 10 mm board on the inside IBS RigidRAP - XT® Fixing: 10 - 24 x 50mm drill point screws GIB® standard 10 mm board Fixings: 32 mm x 6 gauge GIB® Grabber® high thread drywall screw	86 BU/m	81 BU/m	86 BU/m	81BU/m
System 6: XTSG6 IBS RigidRAP® - XT 600 mm x 2400 mm wall with M12 hold down bolts GIB® standard 10 mm board on the inside IBS RigidRAP - XT® Fixing: 10 - 24 x 50mm drill point screws GIB® standard 10 mm board Fixings: 32 mm x 6 gauge GIB® Grabber® high thread drywall screw	84 BU/m	103 BU/m	84 BU/m	103 BU/m
System 7: XTSG7 IBS RigidRAP® - XT 1200 mm x 2400 mm wall with M12 hold down bolts GIB® standard 10 mm board on the inside IBS RigidRAP - XT® Fixing: 10 - 24 x 50mm drill point screws GIB® standard 10 mm board Fixings: 32 mm x 6 gauge GIB® Grabber® high thread drywall screw	86 BU/m	129 BU/m	86 BU/m	129 BU/m

SYSTEM 1 - FIG 1

IBS RigidRAP® - XT 600 x 2400 mm wall using FRAMECAD HOLD DOWN® HDFA1 (or similar)


Wall construction:

- 89 x 41 x 0.75 G550 Steel Studs.
- IBS RigidRAP® - XT 18 mm panel one side.
- Fixings: 10g x 50mm Galv Csk Self Drilling Screw at 150 mm centres around the perimeter.
- FRAMECAD® Hold down HDFA1 washer combined with hold down bracket and a M12 Anchor screw. Designed for steel Frames 0.75BMT - 1.55BMT (or similar).
- Tested on a concrete floor with M12 hold down bolts.

Wall framing must comply with:

NASH Standard Part Two: 2019 'Light Steel Framed Buildings'

FIG 1



SYSTEM 2 - FIG 2

IBS RigidRAP® - XT 1200 x 2400 mm wall using FRAMECAD HOLD DOWN® HDFA1 (or similar)


Wall construction:

- 89 x 41 x 0.75 G550 Steel Studs.
- IBS RigidRAP® - XT 18 mm panel one side.
- Fixings: 10g x 50mm Galv Csk Self Drilling Screw at 150 mm centres around the perimeter.
- FRAMECAD® Hold down HDFA1 washer combined with hold down bracket and a M12 Anchor screw. Designed for steel Frames 0.75BMT - 1.55BMT (or similar).
- Tested on a concrete floor with M12 hold down bolts.

Wall framing must comply with:

NASH Standard Part Two: 2019 'Light Steel Framed Buildings'

FIG 2



SYSTEM 3 - FIG 3

IBS RigidRAP® - XT 600 x 2400 mm wall using FRAMECAD HOLD DOWN® HDFA1 (or similar)


Wall construction:

- 89 x 41 x 0.75 G550 Steel Studs
- IBS RigidRAP® - XT 18 mm panel one side.
- Fixings: 38mm Versapin Gripshank Coil, Steel Nails at 150mm Centres around the perimeter.
- FRAMECAD® Hold down HDFA1 washer combined with hold down bracket and a M12 Anchor screw. Designed for steel Frames 0.75BMT - 1.55BMT as per manufacturer's specifications (or similar).
- Tested on a concrete floor with M12 hold down bolts.

Wall framing must comply with:

NASH Standard Part Two: 2019 'Light Steel Framed Buildings'

FIG 3



SYSTEM 4 - FIG 4


IBS RigidRAP® - XT 1200 x 2400 mm wall using FRAMECAD HOLD DOWN® HDFA1 (or similar)

Wall construction:

- 89 x 41 x 0.75 G550 Steel Studs.
- IBS RigidRAP® - XT 18 mm panel one side.
- Fixings - 38mm Versapin Gripshank Coil, Steel Nails at 150mm Centres around the perimeter
- FRAMECAD® Hold down HDFA1 washer combined with hold down bracket and a M12 Anchor screw. Designed for steel Frames 0.75BMT - 1.55BMT as per manufacturer's specifications (or similar).
- Tested on a concrete floor with M12 hold down bolts.

Wall framing and bottom plate fixed in accordance with the requirements of:
NASH Standard Part Two: 2019 'Light Steel Framed Buildings'.

FIG 4



SYSTEM 5 - FIG 5


IBS RigidRAP® - XT 400 x 2400 mm wall using M12 hold down bolts with GIB® Standard 10mm Board

Wall construction:

- 90 x 32 x 0.75 G550 Steel Studs.
- IBS RigidRAP® - XT 18 mm panel outside.
- GIB® standard 10 mm board on the inside.
- Fixings IBS RigidRAP® - XT - 8 Gauge x 32 mm GIB® Grabber® Scavenger head Screw
- GIB® standard 10 mm board Fixings - 32 mm x 6 gauge GIB Grabber high thread drywall screw
- Tested on a concrete floor with M12 hold down bolts.

Wall framing and bottom plate fixed in accordance with the requirements of: NASH Standard Part Two: 2019 'Light Steel Framed Buildings'.

FIG 5



Note - Fixing of GIB® Standard to Steel framing

The GIB® Standard was fastened to the framing with 32mm long by 6 gauge GIB® Grabber® high thread drywall screws spaced at 150mm centres. In the corners of the panels the fasteners spacing for the GIB® Standard was decreased to 50mm centres.

SYSTEM 6 - FIG 6


IBS RigidRAP® - XT 600 x 2400 mm wall using M12 hold down bolts with GIB® Standard 10mm Board

Wall construction:

- 90 x 32 x 0.75 G550 Steel Studs.
- IBS RigidRAP® - XT 18 mm panel outside.
- GIB® standard 10 mm board on the inside.
- Fixings IBS RigidRAP® - XT - 8 Gauge x 32 mm GIB® Grabber® Scavenger head Screw
- GIB® standard 10 mm board Fixings - 32 mm x 6 gauge GIB Grabber high thread drywall screw
- Tested on a concrete floor with M12 hold down bolts.

Wall framing and bottom plate fixed in accordance with the requirements of:
NASH Standard Part Two: 2019 'Light Steel Framed Buildings'.

FIG 6



Note - Fixing of GIB® Standard to Steel framing

The GIB® Standard was fastened to the framing with 32mm long by 6 gauge GIB® Grabber® high thread drywall screws spaced at 150mm centres. In the corners of the panels the fasteners spacing for the GIB® Standard was decreased to 50mm centres.


SYSTEM 7 - FIG 7

IBS RigidRAP® - XT 1200 x 2400 mm wall using M12 hold down bolts with GIB® Standard 10mm Board

Wall construction:

- 90 x 32 x 0.75 G550 Steel Studs.
- IBS RigidRAP® - XT 18 mm panel outside.
- GIB® standard 10 mm board on the inside.
- Fixings IBS RigidRAP® - XT - 8 Gauge x 32 mm GIB® Grabber® Scavenger head Screw
- GIB® standard 10 mm board Fixings - 32 mm x 6 gauge GIB Grabber high thread drywall screw
- Tested on a concrete floor with M12 hold down bolts.

Wall framing and bottom plate fixed in accordance with the requirements of:
NASH Standard Part Two: 2019 'Light Steel Framed Buildings'.



Note - Fixing of GIB® Standard to Steel framing

The GIB® Standard was fastened to the framing with 32mm long by 6 gauge GIB® Grabber® high thread drywall screws spaced at 150mm centres. In the corners of the panels the fasteners spacing for the GIB® Standard was decreased to 50mm centres.

3.9 IBS RigidRAP® - XT Bracing Capacity - Timber Frames

The following table provides the bracing value for the different systems				
Table 2	Concrete Slab		Timber Floor	
	Wind	EQ	Wind	EQ
System 10 - XTS10 IBS RigidRAP® - XT OSB - 600mm x 2400mm wall fitted on the inside with GIB® HandiBrac® Fixing- 50mm x 2.8mm Galv nails	60 BU/m	70 BU/m	60 BU/m	70 BU/m
System 11 - XTS11 IBS RigidRAP® - XT OSB - 1200mm x 2400mm wall fitted on the inside with GIB® HandiBrac® Fixing- 50mm x 2.8mm Galv nails	78 BU/m	71 BU/m	78 BU/m	71 BU/m
System 12 - XTSG12 IBS RigidRAP® - XT OSB - 300mm x 2400mm wall oo fitted on the inside with GIB® HandiBrac® GIB® standard 10 mm board on the inside IBS RigidRAP® - XT Fixing- 50mm x 2.8mm Galv nails GIB® standard 10 mm board Fixings - 32 mm x 6 gauge GIB Grabber high thread drywall screw	78 BU/m	96 BU/m	78 BU/m	96BU/m
System 13 - XTSG13 IBS RigidRAP® - XT OSB - 400mm x 2400mm wall fitted on the inside with GIB® HandiBrac® GIB® standard 10 mm board on the inside IBS RigidRAP® - XT Fixing- 50mm x 2.8mm Galv nails GIB® standard 10 mm board Fixings - 32 mm x 6 gauge GIB Grabber high thread drywall screw	94 BU/m	110 BU/m	94 BU/m	110 BU/m
System 14 - XTSG14 IBS RigidRAP® - XT OSB - 600mm x 2400mm wall fitted on the inside with GIB® HandiBrac® GIB® standard 10 mm board on the inside IBS RigidRAP® - XT Fixing- 50mm x 2.8mm Galv nails GIB® standard 10 mm board Fixings - 32 mm x 6 gauge GIB Grabber high thread drywall screw	123 BU/m	123 BU/m	123 BU/m	123 BU/m
System 15 - XTSG15 IBS RigidRAP® - XT OSB - 1200mm x 2400mm wall fitted on the inside with GIB® HandiBrac® GIB® standard 10 mm board on the inside IBS RigidRAP® - XT Fixing 50mm x 2.8mm Galv nails GIB® standard 10 mm board Fixings - 32 mm x 6 gauge GIB Grabber high thread drywall screw	165 BU/m	142 BU/m	165 BU/m	142 BU/m


SYSTEM 10 - FIG 10

IBS RigidRAP-XT® 600 x 2400 mm wall using GIB® HANDIBRAC®

Wall construction:

- 90 x 45 MSG8 studs.
- IBS RigidRAP® - XT 18mm panel one side.
- 50 x 2.8 mm galv clouts at 150 mm centres around the perimeter.
- GIB® HandiBrac® hold down brackets fixed to each end-to-end studs and to bottom plate with concrete hold downs as per manufacturer's specifications.
- Tested on a concrete floor with M12 hold down bolts.

FIG 10




SYSTEM 11 - FIG 11

IBS RigidRAP® - XT 1200 x 2400 mm wall using GIB® HANDIBRAC®

Wall construction:

- 90 x 45 MSG8 studs (600 mm centres) plates.
- IBS RigidRAP® - XT 18mm panel one side.
- 50 x 2.8 mm galv clouts at 150 mm centres around the perimeter.
- GIB® HandiBrac® hold down brackets fixed to each end-to-end studs and to bottom plate with concrete hold downs as per manufacturer's specifications.
- Tested on a concrete floor with M12 hold-down bolts.

FIG 11




SYSTEM 12 - FIG 12

IBS RigidRAP® - XT 300 x 2400 mm wall using GIB HANDIBRAC® AND GIB® 10mm Standard Board

Wall construction:

- 90 x 45 MSG8 studs.
- IBS RigidRAP® - XT 18mm panel outside.
- GIB® standard 10 mm board on the inside.
- 50 x 2.8 mm galv clouts at 150 mm centres around the perimeter.
- GIB® HandiBrac® hold down brackets fixed to each end-to-end studs and to bottom plate with concrete hold downs as per manufacturer's specifications.
- Tested on a concrete floor with M12 hold down bolts.

FIG 12



Note - Fixing of GIB® Standard to Timber framing

The GIB® Standard was fastened to the framing with 32mm long by 6 gauge GIB® Grabber® high thread drywall screws spaced at 150mm centres. In the corners of the panels the fasteners spacing for the GIB® Standard was decreased to 50mm centres.


SYSTEM 13 - FIG 13

IBS RigidRAP® - XT 400 x 2400 mm wall using GIB HANDIBRAC® AND GIB® 10mm Standard Board

Wall construction:

- 90 x 45 MSG8 studs (600 mm centres) plates.
- IBS RigidRAP® - XT 18mm panel outside.
- GIB® standard 10 mm board on the inside.
- 50 x 2.8 mm galv clouts at 150 mm centres around the perimeter.
- GIB® HandiBrac® hold down brackets fixed to each end-to-end studs and to bottom plate with concrete hold downs as per manufacturer's specifications.
- Tested on a concrete floor with M12 hold-down bolts.

FIG 13



Note - Fixing of GIB® Standard to Timber framing

The GIB® Standard was fastened to the framing with 32mm long by 6 gauge GIB® Grabber® high thread drywall screws spaced at 150mm centres. In the corners of the panels the fasteners spacing for the GIB® Standard was decreased to 50mm centres.


SYSTEM 14 - FIG 14

IBS RigidRAP® - XT 600 x 2400 mm wall using GIB HANDIBRAC® AND GIB® 10mm Standard Board

Wall construction:

- 90 x 45 MSG8 studs.
- IBS RigidRAP® - XT 18mm panel outside.
- GIB® standard 10 mm board on the inside.
- 50 x 2.8 mm galv clouts at 150 mm centres around the perimeter.
- GIB® HandiBrac® hold down brackets fixed to each end-to-end studs and to bottom plate with concrete hold downs as per manufacturer's specifications.
- Tested on a concrete floor with M12 hold down bolts.

FIG 14



Note - Fixing of GIB® Standard to Timber framing

The GIB® Standard was fastened to the framing with 32mm long by 6 gauge GIB® Grabber® high thread drywall screws spaced at 150mm centres. In the corners of the panels the fasteners spacing for the GIB® Standard was decreased to 50mm centres.


SYSTEM 15- FIG 15

IBS RigidRAP® - XT 1200 x 2400 mm wall using GIB HANDIBRAC® AND GIB® 10mm Standard Board

Wall construction:

- 90 x 45 MSG8 studs (600 mm centres) plates.
- IBS RigidRAP® - XT 18mm panel outside.
- GIB® standard 10 mm board on the inside.
- 50 x 2.8 mm galv clouts at 150 mm centres around the perimeter.
- GIB® HandiBrac® hold down brackets fixed to each end-to-end studs and to bottom plate with concrete hold downs as per manufacturer's specifications.
- Tested on a concrete floor with M12 hold-down bolts.


FIG 15



Note - Fixing of GIB® Standard to timber framing

The GIB® Standard was fastened to the framing with 32mm long by 6 gauge GIB® Grabber® high thread drywall screws spaced at 150mm centres. In the corners of the panels the fasteners spacing for the GIB® Standard was decreased to 50mm centres.

3.10 Top and Bottom Plate Fixing Details



Bottom plate to floor or sub floor connection as per NZS 3604:2011.

Allowable uplift resistance (kN/rafter)	Fastener spacing (mm) top and bottom plates
7.5	75
8.5	40

3.11 IBS RigidRAP® - XT: Fixings

IBS RigidRAP® - XT: Fixings Steel Frames

Fixing	Exposure Zone
10g x 50mm Galv Csk Self Drilling Screw	Exposure zone B & C only
38mm Versapin Gripshank Coil	Exposure zone B & C only
Stainless Steel Nails / Screws	Exposure zone D only

Bottom Plate Fixing - Steel Frames

Bottom Plate Fixing	Exposure Zone
FRAMECAD® HoldDown Use supplied hold down bolts	Steel fixing as per table 4:1 NZS3604:2011
Scottsdale Hold Down 90 Degree Bracket	Steel fixing as per table 4:1 NZS3604:2011
NASH Type E Hold Down	Steel fixing as per table 4:1 NZS3604:2011

IBS RigidRAP® - XT: Fixings Timber Frames


Fixing	Exposure Zone
45 x 2.5 S/Steel AnnularGrooved Nails	All exposure zones
50 x 2.8 mm galv clouts	Exposure zone B & C only

Bottom Plate Fixing - Timber Frames

Bottom Plate Fixing	Exposure Zone
GIB® HandiBrac® Use supplied hold-down bolts	Steel fixing as per table 4:1 NZS3604:2011


3.12 Steel Framing Hold Down Details

Bottom Plate Fixing Details – Base Detail - FRAMECAD® HoldDown HDFA1




Position IBS RigidRAP®-XT as close as practicable to the internal edge of the bottom plate.

Scottsdale HoldDown 90 Degree Bracket




Position IBS RigidRAP® - XT as close as practicable to the internal edge of the bottom plate.


NASH Type E Tie Down Assemblies



NASH Type E Concrete Hold Down




NASH Type E Timber Floor Joist Tie Down



Bottom Plate Fixing Details – Base Detail


Bottom plate detail to concrete otimber floor (with 25 mm x 1 mm strap)



3.13 Timber Framing Hold Down Details


GIB® HandiBrac® Installation – Concrete Floor

Internal walls



Position GIB® HandiBrac® at the stud/
plate junction.


External walls



Position GIB® HandiBrac® as close as
practicable to the internal edge of the
bottom plate.


GIB® HandiBrac® Installation – Timber Floor

External walls




Position GIB® HandiBrac® in the centre
of the perimeter joist or bearer.

Internal walls



Position GIB® HandiBrac® in the
centre of the floor joist or full depth
solid block.



4. Joint / Window Sealing & Penetrations

4.1 Recommended Tape Options

The following tapes may be used to seal panels:

Approved Joint and Window Tape (minimum face cover 50 mm)	
Thermakraft Premium Joining Tape 75mm wide x 23m long	https://www.thermakraft.co.nz/products/tapes-accessories/premium-joining-tape
3M™ All Weather Flashing Tape 8067	https://www.3mnz.co.nz/3M/en_NZ/p/d/b40068318/
TESCON EXTORA IBS-OS (Pro Clima)	https://proclima.co.nz/tescon-extora/
SUPER-STICK (Marshall Innovations)	https://www.mwnz.com/product/superstick-door-window-flashing-tape
Hydro Tape (masons 75 mm)	https://mpb.co.nz/product/hydro-window-flashing-tape/
Masons 40 Below	https://mpb.co.nz/product/40-below/
Watertight	https://technowrapping.co.nz/watertight-products/
FrameFlash	https://www.technoinsulation.com/window-flashing-tapes
DriStud Cool Tape	https://www.drispace.co.nz/product/dristud-cool-window-flashing
EUROBAND 560	https://www.frameprotection.co.nz/
SIGA Wigluv	https://www.siga.swiss/

All tapes are to be installed in accordance with the specific supplier instructions.

All joints and penetrations must be sealed including:

- Vertical and horizontal joints
- External and internal joints
- Penetrations
- Window and door joinery

Vertical joints: 75 mm minimum

Horizontal and sill joints: 150 mm minimum

Where sealing a joint, ensure the IBS RigidRAP® - XT joints are centred under the tape joint.

Use a 25 mm hard PVC roller to ensure full adhesion.

4.2 Installing Service Penetration

Refer to IBS RigidRAP® - XT approved selection of flexible flashing tapes - see Section 4. Refer to IBS RigidRAP® - XT approved selection of flexible flashing tapes.

Flashing of pipe and service penetrations shall be carried out in accordance with the manufacturers installation guidelines and the following:

- Pipe penetrations through IBS RigidRAP® - XT must have a minimum of 5° slope to the outside.
- Flexible flashing tape must be installed like a bandage with a minimum of 25 mm cover around the pipe and 100 mm minimum surface adhesion to IBS RigidRAP® - XT panel surrounding the penetration.
- A hole 100 x 100 mm maximum within an envelope of 100 mm from top and vertical edges and 200 mm from the bottom of the IBS RigidRAP® - XT panel will not affect the bracing capacity. Multiple holes of this size are permitted provided the centre lines of the holes are not closer than 600 mm.
- One hole of up to 400mm x 400mm located between the studs and within the envelope defined above, with nogging or dwang framing the hole and fixing of the OSB to the framing as per the requirements for the top and bottom plate is acceptable.

4.3 Installing Window Opening

Refer to IBS RigidRAP® - XT approved selection of flexible flashing tapes - see Section 4.

Flashing window openings shall be carried out in accordance with Wanz Guide to E2/AS1 (6), substituting building wraps for IBS RigidRAP® - XT.

- Cut the flashing tape for the sill at least 200 mm wider than the opening.
- Fit the tape with the inner edge of the tape flush with the inside line of the framing and extend 100 mm up and down each jamb edge.
- Ensure the tape is well adhered to the surfaces and fitted tightly to each corner.
- Fully tape all window opening edges.

NOTE: All window tapes shall be used in accordance with the manufacturer's installation guide.

5. Rigid Air Barrier

5.1 Scope of Use

Applied to the outer face of the exterior framing, IBS RigidRAP® - XT will minimise the pressure difference across the wall construction, thereby forming part of a weathertight external envelope.

When installed in accordance with Section 4, IBS RigidRAP® - XT performs the function of a rigid air barrier with bracing capacity.

5.2 Thermal Break Information

As per the New Zealand Building Code, thermal breaks are required to be fixed to the exterior of the steel framing to comply with E3 and H1. A thermal break with a minimum R-Value of $< 0.25 \text{ C/W}$ is required to avoid thermal bridging.

RigidRAP®-XT has an R-Value of 0.41 exceeding these minimum requirements.

5.3 Non-Structural Rigid Air Barrier

Where RigidRAP®-XT is to be used as a rigid air barrier without a bracing function then the scope of use is increased to include lightweight steel framing provided that a thermal break is installed.

IBS RigidRAP® - XT panels shall be nailed off at a minimum of 300 mm centres around the perimeter and through the body of the sheet. Rigidity of the panels will be maximised if the panels are nailed off around the perimeter at 150 mm. All other installation details are to be in accordance with section 3 (IBS RigidRAP® - XT as a bracing element).

Building wrap is not required where all joints (vertical and horizontal) are to be sealed with an IBS approved self-adhesive “flashing tape” (see 3.7).

The IBS RigidRAP® - XT must be allowed to acclimatise for at least 48 hours prior to installation.

When specifying IBS RigidRAP® - XT as a rigid air barrier, the designer must take into account site specific conditions and the building with respect to, but not limited to, the following:

- Environmental (exposure) zone
- Wind zone
- Wall bracing table for wind and EQ demand
- Structural design loads
- Structural framing requirements
- Preparation of substrate
- External envelope
- Other materials likely to affect the performance of IBS RigidRAP® - XT.

5.4 Steel Framing Requirements

All steel framing sizes and set outs must comply with the NASH standard Part Two: 'Light Steel Framed Buildings' (or NZS 3404:2009 - Steel Structures).



6. Further Information

6.1 What is OSB3?

OSB3 (Oriented Strand Board 3) is a moisture resistant, structural wood panel. Engineered in Germany from environmentally sustainable sources, it consists of three layers of wood strands bonded together with heat-cured adhesives. Each layer is orientated at right angles to the adjacent layer creating a strong, dimensionally stable panel that resists delamination and warping. The absence of natural imperfections such as knots provides certainty of performance.

6.2 What is wall underlay?

The product consists of a micro-porous water-resistant polypropylene film laminated between two layers of spunbonded polypropylene synthetic wall underlay.

6.3 IBS RigidRAP® -XT CodeMark explained

IBS is the certificate holder of CodeMark for IBS RigidRAP®. CodeMark is third party certified, allowed for under the Building Act 2004. This means that under law, a Building Consent Authority must accept the specification of IBS RigidRAP® (the panel and the installation details) as complying with the NZ Building Code, providing that all conditions of the certificate have been met.

Achieving CodeMark also focuses on the quality of IBS RigidRAP® - XT panels and the quality and competence of the support provided by IBS. This means that designers and installers can use IBS RigidRAP® with confidence that, providing all instructions are followed, IBS RigidRAP® - XT will result in building work complying with the NZ Building Code.

6.4 Restricted Building Work

In some applications Restricted Building Work (RBW) provisions will apply. It is the responsibility of the designer and installer to ensure that they have met their obligations under these provisions.

6.5 10mm Rigid Foam

EXPOL platinum board is a lightweight expanded polystyrene (EPS) board that is easy to handle and easy to install. EXPOL insulation products are made in New Zealand, using an environmentally responsible manufacturing process and are 100% recyclable. 98% of EXPOL insulation product is actually trapped air. The manufacturing process of EXPOL products uses no CFCs or HCFCs.

7. Additional Resources

7.1 Compliance and Information

For compliance & information of IBS RigidRAP® refer to:

- IBS Product Specification
- IBS CAD drawings
- IBS Maintenance and Warranty of IBS RigidRAP®
- www.ibs.co.nz
- 0800 367 759

7.2 Available Details

IBS supply further details to assist in the specification of IBS RigidRAP®. These details are available in .dwg, .pdf and .jpg formats. Go to www.ibs.co.nz to download.

8. Limitations

The information contained in this document is current as at April 2024 and is based on data available to IBS Sustainable Building Products at the current time.

All photographic images are intended to provide a general impression only and shall not be relied upon as an accurate example of IBS RigidRAP® - XT products installed in accordance with this document.

IBS reserves the right to change the information contained in this document without prior notice. It is your responsibility to ensure that you have the most up to date information available, including at the time of applying for a building consent. You can call 0800 367 759 or visit www.ibs.co.nz to obtain current information.

IBS has used all reasonable endeavours to ensure the accuracy and reliability of the information contained in this document. However, to the maximum extent permitted by law, IBS assumes no responsibility or liability for any inaccuracies, omissions, or errors in this information nor for any actions taken in reliance on this information.

9. Frequently Asked Questions

Q. How long can IBS RigidRAP® - XT be left exposed for?

A. IBS RigidRAP® - XT can be left exposed to the weather for up to 90 days.

Q. Do I need to leave an expansion gap between sheets?

A. IBS RigidRAP® - XT is designed for a 2mm gap to be left around the perimeter of all sheets.

Q. Do I need to tape all the joins?

A. Yes, all joins vertical and horizontal need to be taped.(Section 4)

Q. Do all horizontal joins need a Z flashing?

A. No you can use 150mm tape on all other horizontal joins.

Q. Do nails and screws need to have tape on them?

A. No, you do not need to tape over them unless they penetrate the board. All fixings shall finish flush with the board.

Q. Can IBS RigidRAP-XT be used as bracing?

A. Yes, IBS RigidRAP® - XT has been tested as a bracing element. Details are listed in this installation guide.

Q. Do I need to install sheets vertically?

A. Yes, when used as a bracing element, all sheets need to be installed vertically. Writing / Graphic can be upside down.

Q. Can I RigidRAP® - XT as a non-bracing sheet?

A. If using IBS RigidRAP® - XT as non bracing, sheets can be installed vertically or horizontally. You can nail off at 300 mm centres around the board.

Q. Can I use RigidRAP®- XT on timber frames?

A. Yes, See systems in Table 2, 3.9 page 22

10. Installation checklist


The below installation areas are considered critical to the successful installation of IBS RigidRAP®-XT. Using this sheet as a checklist during installation will aid in problem free product installation and long term product durability post construction.

Task	X when checked
Prior to Specification and Installation	
Read the IBS RigidRAP® - XT Installation Guide & have a hard copy on site	<input type="checkbox"/>
Health and Safety	
Take all steps to ensure your safety and the safety of others (adequate ventilation and protection)	<input type="checkbox"/>
Ensure IBS RigidRAP® - XT is well supported when cutting or drilling the panel	
Install	
IBS RigidRAP® - XT panels with the polypropylene film laminated facing outwards	<input type="checkbox"/>
Ensure clean-cut edges with sharp tools, using a backing block to minimize break out	
Joint Sealing and Window Tape	
Use an approved flashing tape in accordance with the specific supplier instructions (page 34)	<input type="checkbox"/>
Ensure the IBS RigidRAP® - XT joints are centred under the tape joint (all joints and penetrations must be sealed)	<input type="checkbox"/>
Service Penetration	
Service penetrations must be sealed using a flexible flashing tape	<input type="checkbox"/>
Pipe penetrations through IBS RigidRAP® - XT must have a minimum of 5° slope to the outside	<input type="checkbox"/>
Minimum of 25mm cover around the pipe and 100 mm minimum surface adhesion to IBS RigidRAP® - XT panel surrounding the penetration	<input type="checkbox"/>
Window Opening	
Flashing window openings must be carried out in accordance with WNZ Guide to E2/AS1 (6)	<input type="checkbox"/>
Bracing Capacity	
IBS RigidRAP® - XT may be used as a bracing element within the required scopes detailed in the IBS RigidRAP® - XT Installation Guide (table 1, page 7)	<input type="checkbox"/>
Installation must be in accordance with the instructions in the IBS RigidRAP® - XT Installation Guide (for all bracing systems, no product substitution is allowed)	<input type="checkbox"/>
Handling and Storage	
Ensure correct storage and handling in transport for the protection of IBS RigidRAP® - XT	<input type="checkbox"/>
Finishing	
A 20 mm ventilated cavity and the cladding/joinery system must be installed so that it complies with the NZ Building Code.	<input type="checkbox"/>

[illegible]



Scan the QR code to view all RigidRAP®-XT documents.



IBS RigidRAP® - XT Design & Installation Guide April 2024



3 Zelanian Drive, East Tamaki, New Zealand
0800 367 759 | info@ibs.co.nz
www.ibs.co.nz